

STOR-MORE® TENANT STORAGE LOCKERS

4-Gauge Welded Wire Galvanized Steel

SPECIFICATIONS



Stor-More® 4-Gauge Tenant Storage Double Tier Starter model with Single Tier Add-on model shown. Triple Tier model also available.

All-galvanized steel Stor-More® Tenant Storage Lockers provide sturdy, secure storage for tenants and businesses.

Panels 4-gauge galvanized welded wire mesh with 1½" x 3" openings.

Front Frame

14-gauge galvanized steel 1½" x 1½" x 90" angle.

Header Bar

14-gauge galvanized steel 3½" x 1" channel.

Rear Vertical Members

14-gauge galvanized steel 1½" x 1½" x 90" angle.

Doors 4-gauge galvanized welded wire mesh with 1½" x 3" openings. Full height hinged anti-pry locking bar and padlock hasp. Single Tier door has three 2" x 2" steel pin butt hinges, 86" Height; Double Tier and Triple Tier door has two 2" x 2" steel pin butt hinges for each door.

Double and Triple Tier Units Include 22-gauge galvanized sheet metal shelves. Double Tier features one shelf; Triple Tier features two shelves.

Finish Galvanized.

Options Locker top constructed of 4-gauge galvanized welded wire mesh, 1½" x 3" openings.

Locker Back constructed of 1½" x 3" 8-gauge galvanized welded wire mesh; or 22-gauge galvanized sheet metal. Required for back to back units.

Locker Bottom constructed of 22-gauge galvanized sheet metal.

Powder coating finish.

Warranty 5-year.

**FOLDING
GUARD®**
CORPORATION
Providing Reliable Engineered Solutions

5858 West 73rd Street
Bedford Park, Illinois 60638
Toll-free: 1-800-622-2214
Fax: 708-325-0450
e-mail: sales@foldingguard.com
www.foldingguard.com

Stor-More® Tenant Storage Locker Single Tier 4-Gauge Galvanized Steel

Starter Unit			Add-On Unit		
Part No.	W x D x H	Wgt. (lbs.)	Part No.	W x D x H	Wgt. (lbs.)
ST-133-GALV-4	3' x 3' x 90"	126	AD-133-GALV-4	3' x 3' x 90"	94
ST-134-GALV-4	3' x 4' x 90"	146	AD-134-GALV-4	3' x 4' x 90"	101
ST-135-GALV-4	3' x 5' x 90"	165	AD-135-GALV-4	3' x 5' x 90"	113
ST-143-GALV-4	4' x 3' x 90"	118	AD-143-GALV-4	4' x 3' x 90"	91
ST-144-GALV-4	4' x 4' x 90"	148	AD-144-GALV-4	4' x 4' x 90"	107
ST-145-GALV-4	4' x 5' x 90"	174	AD-145-GALV-4	4' x 5' x 90"	121

Stor-More® Tenant Storage Locker Double Tier 4-Gauge Galvanized Steel

ST-233-GALV-4	3' x 3' x 90"	154	AD-233-GALV-4	3' x 3' x 90"	122
ST-234-GALV-4	3' x 4' x 90"	182	AD-234-GALV-4	3' x 4' x 90"	139
ST-235-GALV-4	3' x 5' x 90"	208	AD-235-GALV-4	3' x 5' x 90"	156
ST-243-GALV-4	4' x 3' x 90"	166	AD-243-GALV-4	4' x 3' x 90"	134
ST-244-GALV-4	4' x 4' x 90"	195	AD-244-GALV-4	4' x 4' x 90"	151
ST-245-GALV-4	4' x 5' x 90"	222	AD-245-GALV-4	4' x 5' x 90"	168

Stor-More® Tenant Storage Locker Triple Tier 4-Gauge Galvanized Steel

ST-333-GALV-4	3' x 3' x 90"	174	AD-333-GALV-4	3' x 3' x 90"	144
ST-334-GALV-4	3' x 4' x 90"	202	AD-334-GALV-4	3' x 4' x 90"	159
ST-335-GALV-4	3' x 5' x 90"	228	AD-335-GALV-4	3' x 5' x 90"	176
ST-343-GALV-4	4' x 3' x 90"	186	AD-343-GALV-4	4' x 3' x 90"	154
ST-344-GALV-4	4' x 4' x 90"	215	AD-344-GALV-4	4' x 4' x 90"	171
ST-345-GALV-4	4' x 5' x 90"	242	AD-345-GALV-4	4' x 5' x 90"	188

Options

Part No.	W x D	Wgt. (lbs.)
Locker Tops		
LT-33-GALV-4	3' x 3'	6
LT-34-GALV-4	3' x 4'	6
LT-35-GALV-4	3' x 5'	8
LT-43-GALV-4	4' x 3'	6
LT-44-GALV-4	4' x 4'	8
LT-45-GALV-4	4' x 5'	8
Locker Backs		
LB-3-GALV-4	3' x 90"	30
LB-4-GALV-4	4' x 90"	40
Bottom Shelf		
LS-33-4	3' x 3'	20
LS-34-4	3' x 4'	25
LS-35-4	3' x 5'	30
LS-43-4	4' x 3'	20
LS-44-4	4' x 4'	25
LS-45-4	4' x 5'	30


Powder Coating

Consult factory

CUSTOM SIZES AVAILABLE

Modular design makes Stor-More® Lockers easy to plan, install and relocate. Available in single, double and triple tier units, and can be combined. Begin with Starter unit, single, double or triple tier; complete row with Add-On units.


Single Tier



Starter
1 Single tier door
2 End run panels

Add-On
1 Single tier door
1 Side panel


Double Tier



Starter
1 Double tier door
2 End run panels
1 Shelf

Add-On
1 Double tier door
1 Side panel
1 Shelf



Triple Tier



Starter
1 Triple tier door
2 End run panels
2 Shelves

Add-On
1 Triple tier door
1 Side panel
2 Shelves

Single row locker configurations installed against an existing wall do not require optional back panels. Double row locker configurations share common back panels.



CORPORATION

Providing Reliable Engineered Solutions

5858 West 73rd Street
Bedford Park, Illinois 60638
Toll-free: 1-800-622-2214
Fax: 708-325-0450
e-mail: sales@foldingguard.com
www.foldingguard.com

STOR-MORE® TENANT STORAGE LOCKERS

8-Gauge Welded Wire Galvanized Steel

SPECIFICATIONS



Triple Tier Starter and Single Tier Add-on models shown with locker back and bottom shelf options . Double Tier model also available.

All-galvanized steel Stor-More® Tenant Storage Lockers provide sturdy, secure storage for tenants and businesses.

Panels 8-gauge galvanized welded wire mesh with 1½" x 3" openings.

Front Frame

16-gauge galvanized steel 1½" x 1½" x 90° angle.

Header Bar

16-gauge galvanized steel 3½" x 1" channel.

Rear Vertical Members

16-gauge galvanized steel 1½" x 1½" x 90° angle.

Doors 8-gauge galvanized welded wire mesh with 1½" x 3" openings. Full height hinged anti-pry locking bar and padlock hasp. Single Tier door has three 2" x 2" steel pin butt hinges, 86" Height; Double Tier and Triple Tier door has two 2" x 2" steel pin butt hinges for each door.

Double and Triple Tier Units Include 22-gauge galvanized sheet metal shelves. Double Tier features one shelf; Triple Tier features two shelves.

Finish Galvanized.

Options Locker top constructed of 8-gauge galvanized welded wire mesh, 1½" x 3" openings.

Locker Back constructed of 1½" x 3" 8-gauge galvanized welded wire mesh; or 22-gauge galvanized sheet metal. Required for back to back units.

Locker Bottom constructed of 22-gauge galvanized sheet metal.

Powder coating finish.

Warranty 5-year.



Full height hinged anti-pry locking bar



Locker bottom shelf option



Locker top and back option



Providing Reliable Engineered Solutions

5858 West 73rd Street
Bedford Park, Illinois 60638
Toll-free: 1-800-622-2214
Fax: 708-325-0450
e-mail: sales@foldingguard.com
www.foldingguard.com

Stor-More® Tenant Storage Locker Single Tier 8-Gauge Galvanized Steel

Starter Unit			Add-On Unit		
Part No.	W x D x H	Wgt. (lbs.)	Part No.	W x D x H	Wgt. (lbs.)
ST-133-GALV-8	3' x 3' x 90"	116	AD-133-GALV-8	3' x 3' x 90"	84
ST-134-GALV-8	3' x 4' x 90"	136	AD-134-GALV-8	3' x 4' x 90"	91
ST-135-GALV-8	3' x 5' x 90"	155	AD-135-GALV-8	3' x 5' x 90"	103
ST-143-GALV-8	4' x 3' x 90"	120	AD-143-GALV-8	4' x 3' x 90"	87
ST-144-GALV-8	4' x 4' x 90"	138	AD-144-GALV-8	4' x 4' x 90"	97
ST-145-GALV-8	4' x 5' x 90"	164	AD-145-GALV-8	4' x 5' x 90"	111

Stor-More® Tenant Storage Locker Double Tier 8-Gauge Galvanized Steel

ST-233-GALV-8	3' x 3' x 90"	144	AD-233-GALV-8	3' x 3' x 90"	112
ST-234-GALV-8	3' x 4' x 90"	172	AD-234-GALV-8	3' x 4' x 90"	129
ST-235-GALV-8	3' x 5' x 90"	198	AD-235-GALV-8	3' x 5' x 90"	146
ST-243-GALV-8	4' x 3' x 90"	156	AD-243-GALV-8	4' x 3' x 90"	124
ST-244-GALV-8	4' x 4' x 90"	185	AD-244-GALV-8	4' x 4' x 90"	141
ST-245-GALV-8	4' x 5' x 90"	212	AD-245-GALV-8	4' x 5' x 90"	158

Stor-More® Tenant Storage Locker Triple Tier 8-Gauge Galvanized Steel

ST-333-GALV-8	3' x 3' x 90"	164	AD-333-GALV-8	3' x 3' x 90"	134
ST-334-GALV-8	3' x 4' x 90"	192	AD-334-GALV-8	3' x 4' x 90"	159
ST-335-GALV-8	3' x 5' x 90"	218	AD-335-GALV-8	3' x 5' x 90"	166
ST-343-GALV-8	4' x 3' x 90"	176	AD-343-GALV-8	4' x 3' x 90"	144
ST-344-GALV-8	4' x 4' x 90"	205	AD-344-GALV-8	4' x 4' x 90"	161
ST-345-GALV-8	4' x 5' x 90"	232	AD-345-GALV-8	4' x 5' x 90"	178

Options


Part No.	W x D	Wgt. (lbs.)
Locker Tops		
LT-33-GALV-8	3' x 3'	6
LT-34-GALV-8	3' x 4'	6
LT-35-GALV-8	3' x 5'	8
LT-43-GALV-8	4' x 3'	6
LT-44-GALV-8	4' x 4'	8
LT-45-GALV-8	4' x 5'	9
Locker Backs		
LB-3-GALV-8	3' x 90"	30
LB-4-GALV-8	4' x 90"	40
Bottom Shelf		
LS-33-8	3' x 3'	20
LS-34-8	3' x 4'	25
LS-35-8	3' x 5'	30
LS-43-8	4' x 3'	25
LS-44-8	4' x 4'	30
LS-45-8	4' x 5'	35

Powder Coating


Consult factory

CUSTOM SIZES AVAILABLE

Modular design makes Stor-More® Lockers easy to plan, install and relocate. Available in single, double and triple tier units, and can be combined. Begin with Starter unit, single, double or triple tier; complete row with Add-On units.



Single row locker configurations installed against an existing wall do not require optional back panels. Double row locker configurations share common back panels.



**FOLDING
GUARD®**
CORPORATION
Providing Reliable Engineered Solutions

5858 West 73rd Street
Bedford Park, Illinois 60638
Toll-free: 1-800-622-2214
Fax: 708-325-0450
e-mail: sales@foldingguard.com
www.foldingguard.com